



Data Collection Worksheet

Please Note: The Data Collection Worksheet (DCW) is a tool to aid integration of a PhenX protocol into a study. The PhenX DCW is not designed to be a data collection instrument. Investigators will need to decide the best way to collect data for the PhenX protocol in their study. Variables captured in the DCW, along with variable names and unique PhenX variable identifiers, are included in the PhenX Data Dictionary (DD) files.

1. Have you ever taken estrogen ("female hormones") for symptoms of menopause (the change of life) or for other reasons?

- No (**go to question 11**)
- Yes, and I am currently taking estrogens
- Yes, but I am no longer taking estrogens

2. The most frequently used estrogen is oral Premarin®. Have you ever taken Premarin® by mouth (as pills)?

- No (**go to question 7**)
- Yes

3. At what age did you **first** take Premarin®?

- Before age 45
- 45 -49
- 50 -54
- 55 -59
- 60 -64
- 65 -69
- 70 or older

4. At what age did you **last** take Premarin®?

- Currently taking
- Before age 45

45 []-49

50 []-54

55 []-59

60 []-64

65 []-69

70 [] or older

5. How many **years** in total did you take Premarin® (exclude those periods when you temporarily stopped)?

YEARS __ (If less than 1 year, mark as 1)

6. Five commonly used doses of Premarin® can be distinguished by the color of the pill. Please indicate any you have ever used and the one you used for the longest period .			
	Ever Used		Longest Used
	(Answer for each)		(Mark one)
	No	Yes	[_]
Green (0.3 mg)	[_]	[_]	[_]
Brown/Red (0.625 mg)	[_]	[_]	[_]
White (0.9 mg)	[_]	[_]	[_]
Yellow/Orange (1.25 mg)	[_]	[_]	[_]
Purple (2.5 mg)	[_]	[_]	[_]

7. Have you ever used estrogen **other than Premarin® pills?** (Answer for each)

Estrogen by mouth

No

Yes

Estrogen by injection

No

Yes

Estrogen by patch or implant

No

Yes

Estrogen vaginal cream or suppository

No

Yes

If you answered no to all parts of question 7, go to question 11.

8. At what age did you first use estrogens other than Premarin® pills?

Before age 45

45 -49

50 -54

55 -59

60 -64

65 -69

70 or older

9. At what age did you last use estrogens other than Premarin® pills?

Currently taking

Before age 45

45 -49

50 -54

55 []-59

60 []-64

65 []-69

70 [] or older

10. How many years in total did you take estrogens **other than Premarin® pills** (exclude any time when you temporarily stopped)?

Less than 1 year

1 []-2

3 []-5

6 []-9

10 []-14

15 []-19

20 [] years or more

11. Sometimes another type of female hormone, progesterone (or "progestin"), is given for symptoms of menopause, either alone or in combination with estrogen. The most frequently used progestin is Provera® (medroxyprogesterone acetate). Have you ever used progesterone or a progestin?

No (End Survey)

Provera® only

Another type only

Provera® **and** another type of progestin

Yes, but dont know type

12. At what age did you **first** take progesterone or a progestin?

Before age 40

40 []-44

45 []-49

50 []-54

55 []-59

60 []-64

65 []-69

70 [] years or older

13. At what age did you last take progesterone or a progestin?

Currently taking

Before 45

45 []-49

50 []-54

55 []-59

60 []-64

65 []-69

70 [] years or older

14. How many years in total did you take progesterone or a progestin (excluding any time when you temporarily stopped)?

Less than 1 year

1 []-2

3 []-5

6 []-9

10 []-14

15 []-19

20 [] years or more

15. If you used Provera®, what was your usual dose?

Did not use Provera®

2 [].5 mg per day

5 [].0 mg per day

10 [] mg per day

20 [] mg per day

Another dose

Dont know

16. When using progestin or progesterone, for how many days each month would you usually take it?

___ DAYS

Premarin® is a registered trademark, Wyeth Pharmaceuticals, Inc.; Provera® is a registered trademark, Pfizer, Inc.

Protocol source: <https://www.phenxtoolkit.org/protocols/view/70401>