

Data Collection Worksheet

Please Note: The Data Collection Worksheet (DCW) is a tool to aid integration of a PhenX protocol into a study. The PhenX DCW is not designed to be a data collection instrument. Investigators will need to decide the best way to collect data for the PhenX protocol in their study. Variables captured in the DCW, along with variable names and unique PhenX variable identifiers, are included in the PhenX Data Dictionary (DD) files.

SUICIDAL IDEATION

Ask questions 1 and 2. If both are negative, proceed to "Suicidal Behavior" section. If the answer to question 2 is "yes," ask questions 3, 4, and 5. If the answer to question 1 and/or 2 is "yes," complete "Intensity of Ideation" section below.	Lifetime: Time He/She Felt Most Suicidal	
1. Wish to be Dead	Yes	No
Subject endorses thoughts about a wish to be dead or not alive anymore, or wish to fall asleep and not wake up.		
Have you thought about being dead or what it would be like to be dead?		
Have you wished you were dead or wished you could go to sleep and never wake up?		
Do you ever wish you weren't alive anymore?		
If yes, describe:		
2. Non-Specific Active Suicidal Thoughts	Yes	No
General, non-specific thoughts of wanting to end one's life/commit suicide (e.g., <i>"I've thought about killing myself"</i>) without thoughts of ways to kill oneself/associated methods, intent, or plan.		
Have you thought about doing something to make yourself not alive anymore?		

If yes, describe:		
3. Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act	Yes	No
Subject endorses thoughts of suicide and has thought of at least one method during the assessment period. This is different than a specific plan with time, place, or method details worked out (e.g., thought of method to kill self but not a specific plan). Includes person who would say, "I thought about taking an overdose but I never made a specific plan as to when, where or how I would actually do itand I would never go through with it."		
Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about?		
If yes, describe:		
4. Active Suicidal Ideation with Some Intent to Act, without Specific Plan	Yes	No
Active suicidal thoughts of killing oneself and subject reports having some intent to act on such thoughts, as opposed to "I have the thoughts but I definitely will not do anything about them."		
When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do?		
This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it.		
If yes, describe:		
5. Active Suicidal Ideation with Specific Plan and Intent	Yes	No
Thoughts of killing oneself with details of plan fully or partially worked out and subject has some intent to carry it out.		
Have you ever decided how or when you would make yourself not alive anymore/kill yourself? Have you ever planned out (worked		

out the details of) how you would do it?	
What was your plan?	
When you made this plan (or worked out these details), was any part of you thinking about actually doing it?	
If yes, describe:	
SUICIDAL BEHAVIOR	Lifetime
(Check all that apply, so long as these are separate events; must ask about all types)	
Actual Attempt:	Yes No
A potentially self-injurious act committed with at least some wish to die, <i>as a result of act</i> . Behavior was in part thought of as method to	
kill oneself. Intent does not have to be 100%. If there is any intent/desire to die associated with the act, then it can be considered an actual suicide attempt. There does not have to be any injury or	Total # of Attempts
<i>harm</i> , just the potential for injury or harm. If person pulls trigger while gun is in mouth but gun is broken so no injury results, this is considered an attempt.	
Inferring Intent: Even if an individual denies intent/wish to die, it may be inferred clinically from the behavior or circumstances. For example, a highly lethal act that is clearly not an accident so no other intent but suicide can be inferred (e.g., gunshot to head, jumping from window of a high floor/story). Also, if someone denies intent to die, but they thought that what they did could be lethal, intent may be inferred.	
Did you ever do anything to try to kill yourself or make yourself not alive anymore? What did you do?	
Did you ever hurt yourself on purpose? Why did you do that?	
Did you as a way to end your life?	
Did you want to die (even a little) when you?	
Were you trying to make yourself not alive anymore when you ?	

Or did you think it was possible you could have died from? Or did you do it purely for other reasons, <u>not at all</u> to end your life or kill yourself (like to make yourself feel better, or get something else to happen)? (Self-Injurious Behavior without suicidal intent) If yes, describe:		
Has subject engaged in Non-Suicidal Self-Injurious Behavior?	Yes	No
Has subject engaged in Self-Injurious Behavior, intent unknown?	Yes	No
Interrupted Attempt:	Yes	No
When the person is interrupted (by an outside circumstance) from starting the potentially self-injurious act (<i>if not for that, actual attempt would have occurred</i>).		
Overdose: Person has pills in hand but is stopped from ingesting. Once they ingest any pills, this becomes an attempt rather than an interrupted attempt. Shooting: Person has gun pointed toward self, gun is taken away by someone else, or is somehow prevented from pulling trigger. Once they pull the trigger, even if the gun fails to fire, it is an attempt. Jumping: Person is poised to jump, is grabbed and taken down from ledge. Hanging: Person has noose around neck but has not yet started to hang-is stopped from doing so.	Total # of interrupted	
Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but someone or something stopped you before you actually did anything? What did you do? If yes, describe:		
Aborted Attempt:	Yes	No
When person begins to take steps toward making a suicide attempt,		

but stops themselves before they actually have engaged in any self- destructive behavior. Examples are similar to interrupted attempts, except that the individual stops him/herself, instead of being stopped by something else.		# of rted
Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but you changed your mind (stopped yourself) before you actually did anything? What did you do?		
If yes, describe:		
Preparatory Acts or Behavior:	Yes	No
Acts or preparation towards imminently making a suicide attempt. This can include anything beyond a verbalization or thought, such as assembling a specific method (e.g., buying pills, purchasing a gun) or preparing for one's death by suicide (e.g., giving things away, writing a suicide note).		
Have you done anything to get ready to make yourself not alive anymore (to end your life or kill yourself)-like giving things away, writing a goodbye note, getting things you need to kill yourself?		
If yes, describe:		
Suicidal Behavior:	Yes	No
Suicidal behavior was present during the assessment period?		
© 2008 Persoarch Foundation for Montal Hygiona Inc		

 $\ensuremath{\mathbb{C}}$ 2008 Research Foundation for Mental Hygiene, Inc.

Scoring:

Columbia-Suicide Severity Rating Scale Scoring and Data Analysis Guide

Protocol source: https://www.phenxtoolkit.org/protocols/view/640102