



Data Collection Worksheet

Please Note: The Data Collection Worksheet (DCW) is a tool to aid integration of a PhenX protocol into a study. The PhenX DCW is not designed to be a data collection instrument. Investigators will need to decide the best way to collect data for the PhenX protocol in their study. Variables captured in the DCW, along with variable names and unique PhenX variable identifiers, are included in the PhenX Data Dictionary (DD) files.

1. For your last pregnancy, did any of the following occur? Choose all that apply.

1 Preterm birth (birth of baby less than 37 weeks gestational age)

2 Baby with low birth weight (less than 5 pounds 8 ounces)

3 Baby with birth defects

4 Placenta previa

5 Placenta abruption

6 Pre-eclampsia

7 None of the above

-8 DON'T KNOW

-9 REFUSED

2. During your most recent pregnancy, did a healthcare provider tell you that you had any of the following health conditions?

1 Gestational diabetes (diabetes that started during this pregnancy)

2 High blood pressure (that started during this pregnancy), pre-eclampsia, or eclampsia

3 Depression

4 Anxiety

3. What was the outcome of your last pregnancy?

1 Live birth

2 Miscarriage

- 3 Abortion
- 4 Ectopic or tubal pregnancy
- 5 Stillbirth
- 6 None of the above
- 8 DON'T KNOW
- 9 REFUSED

4. In the 3 months before you got pregnant, how many cigarettes did you smoke on an average day?

- 1 More than one pack (21 or more cigarettes)
- 2 One-half to one pack (11 to 20 cigarettes)
- 3 Less than half a pack (1 to 10 cigarettes)
- 4 I didn't smoke then

5. In the last 3 months of your pregnancy, how many cigarettes did you smoke on an average day?

- 1 More than one pack (21 or more cigarettes)
- 2 One-half to one pack (11 to 20 cigarettes)
- 3 Less than half a pack (1 to 10 cigarettes)
- 4 I didn't smoke then

6. Did you quit smoking around the time of your most recent pregnancy? Check ONE answer.

- No
- No, but I cut back
- Yes, I quit before I found out I was pregnant
- Yes, I quit when I found out I was pregnant
- Yes, I quit later in my pregnancy

7. During the 3 months before you got pregnant, on average, how often did you use e-cigarettes (“vapes”) or other electronic nicotine products?

- 1 Everyday

2 Some days

3 I didn't use e-cigarettes or other electronic nicotine products then

8. During the last 3 months of your pregnancy, how often did you use e-cigarettes (“vapes”) or other electronic nicotine products?

1 Everyday

2 Some days

3 I didn't use e-cigarettes or other electronic nicotine products then

9. After your baby was born, how long did he or she stay in the hospital?

Less than 3 days

3 to 5 days

6 to 14 days

More than 14 days

My baby was not born in a hospital

My baby is still in the hospital

10. Is your baby alive now?

No

Yes

Protocol source: <https://www.phenxtoolkit.org/protocols/view/720902>